



# **JetViewSoft**

## **Version Update**

### **from V3.3.2 to V3.3.4**

JETTER AG reserves the right to make alterations to its products in the interest of technical progress. These alterations need not be documented in every single case.

This manual and the information contained herein have been compiled with due diligence. However, Jetter AG assumes no liability for printing or other errors or damages arising from such errors.

The brand names and product names used in this document are trademarks or registered trademarks of the respective title owner. JETTER AG reserves the right to make alterations to its products in the interest of technical progress. These alterations need not be documented in every single case.

This manual and the information contained herein have been compiled with due diligence. However, Jetter AG assumes no liability for printing or other errors or damages arising from such errors.

The brand names and product names used in this document are trademarks or registered trademarks of the respective title owner..



## General Hints

1. Administrator rights are required for entering the license key on **Windows 8** operating systems.
2. On **Windows 8** systems the LaunchApplication-Transaction of JetDBService can start interactive applications only if JetDBService is running as a COM-Server (e.g. by put the call of JetDBService.exe into Autostart).  
In this case the service JetDBService should be configured to start manually.  
This only affects to applications with a visible UserInterface ( e.g. Notepad.exe).

Overview of Version Update			
Version	Function	expanded	corrected
V3.3.4	<b>#ID 1032</b> When switching between multiple monitor and single monitor using it happens that dialogboxes or docking windows will be opened in an invisible area.		✓
	<b>#ID2308</b> Events of a softkeys are not triggered by an assigned hotkey.		✓
	<b>#ID 2558</b> After starting the application there is only JetStdLibrary available in the library.		✓
	<b>#ID 2572</b> The splash screen stays sometimes open for a long time duringing starting the application .		✓
	<b>#ID2587</b> Is a library used by several instances of JetViewSoft, then changes in one instance may not refresh the other instances.		✓
	<b>#ID 2588</b> Files that have been added through <i>AddFile</i> to the project cannot be removed anymore.		✓
	<b>#ID 2612</b> For objects meter and meterex a ColorChange Dynamic is available, although this is not supported by the runtime. The ColorChange Dynamic has been disabled.		✓
	<b>#ID 2620</b> A folder in the project tree can not be removed if it is no longer physically present.		✓
	<b>#ID 2621</b> If JetSym updates a *.jde file by a build, then it could happend that JetViewSoft looses the data connection to this file.		✓

Overview of Version Update			
Version	Function	expanded	corrected
V3.3.4	<p><b>#ID 2627</b> Projects from version 2.2.5, which contain communication documents in subfolders are not converted correctly to the current version.</p>		✓
	<p><b>#ID 2659</b> For polygons with Move Dynamic sometimes vertical / horizontal lines remain at origin and then they were missing at the new position.</p>		✓
	<p><b>#ID 2662</b> Regardless of the choice of font color, the labels of the MeterEx object are always displayed in black.</p>		✓
	<p><b>#ID 2670</b> If a LineStyle replaced by another, and this reversed by Undo, the references are not set up properly. The old line style is shown incorrectly as referenced object.</p>		✓
	<p><b>#ID 2676</b> After a failed build JVER can be launched without further notice to the faulty compilation. In this case, a warning is displayed now.</p>		✓
	<p><b>#ID2678</b> After a build with errors it is possible to start JVER without any warning. In this case a warning is displayed now.</p>		✓
	<p><b>#ID 2687</b> If the Min or Max values for a bargraph is configured greater than 32767 or less than -32767 the bargraph object shows nothing or partially wrong targetline or bargraph.</p>		✓
	<p><b>#ID 2692</b> After opening the numpad the current value is displayed and marked to overwrite. If an user types in a new value now, it will not overwrite the existing value, but append the new characters.</p>		✓
	<p><b>#ID 2710</b> The background of a rectangle object is not drawn correctly when the zoom factor is set to be grater then 100%</p>		✓
	<p><b>#ID 2714</b> When inserting an image into the objectpool, the name of the image-object is generated from the filename. Here also illegal characters (ö, ä, ü ..) are adopted. These characters are now replaced when pasting (ä =&gt; ae, ö =&gt; oe, ß =&gt; ss, ...).</p>		✓

Overview of Version Update			
Version	Function	expanded	corrected
V3.3.4	<p><b>#ID 2717</b> A change in the name of property objects ( like LinStyle, FillStyle or Font) by using the propertygrid is not applied. Changing the name directly in the objectpool-tree worked.</p> <p><b>#ID 2719</b> If there was inserted an object with a non proportional font from the library, a following change of text-size just change the height of the characters. The character width remains constant.</p> <p><b>#ID 2729</b> If the checkbox has an assigned OnClick-event, so this event was raised from just a mouse click or a touch click. Now this can be done by the DigiPot or keyboard too.</p> <p><b>#ID 2734</b> A change of the background mode of a bargraph-dynamic is not setting the modified flag auf the mask document.Thus, this change is not saved.</p> <p><b>#ID 2737</b> The Max property of an input Number object has an unacceptable high initial value of 4294967295 on. This was reduced to 65535.</p> <p><b>#ID 2747</b> In projects with alarmservice the compiler shows warnings for objects with very high ObjektIDs that do not exist in the project.</p> <p><b>#ID2755</b> The Text-object with a linewidth of 0 or 1point was drawn at runtime (JVER) 1 pixel to big.</p> <p><b>#ID2757</b> The window title from the objectpool-tree is not always showing the correct project name.</p> <p><b>#ID2762</b> Selecting Tags for the platform JetView ER (CE) / ER JetView (PC) is not limited to a mask associated active communication service. It is possible to select Tags from all active Communication services within the project.</p>		<p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p>

Overview of Version Update			
Version	Function	expanded	corrected
V3.3.4	<p><b>#ID2765</b> When converting a project from V2.2.x to V3.x the product version number in the CommunicationService documents (*.jcs) are not updated.</p>		✓
	<p><b>#ID2769</b> For the objects checkbox,combobox and listbox the Visibility-dynamic does not work immediatly to hide/show the objects. They will be hiden/shown, when other changes forces a redraw of the mask.</p>		✓
	<p><b>#ID2770</b> The Tag-Selection for dynamics offers a not proper selection of available Tags.</p>		✓
	<p><b>#ID 2783</b> Settings at Tools/Options/Editor for <i>Build Options</i> and <i>Deploy Options</i> are not saved when no workspace is loaded.</p>		✓
	<p><b>#ID 2784</b> In the dialog "New Project" the text on the buttons are difficult to read when Windows Design is set to "Classic".</p>		✓
	<p><b>#ID 2786</b> When deleting a line and click on the Yes-button of the following confirmation-dialog the mousecursor jumps to the top of the window.</p>		✓
	<p><b>#ID 2787</b> Changes to the grid properties (e.g. SnapToGrid) are not applied immediatly. The mask must be closed and reopened.</p>		✓
	<p><b>#ID2790</b> If an object with a line attribute is deleted, the line attribute itself will not delete each time too, althought it isn't used by any other object.</p>		✓
	<p><b>#ID 2793</b> If switching from application to application by using Alt-Tab key, the focus will not set correctly when switching back to JetViewSoft.</p>		✓
	<p><b>#ID 2822</b> If a mask GridProperties dialog is opened, the GlobalProperties are visible, but the displayed data are the settings for the current screen.</p>		✓

Overview of Version Update			
Version	Function	expanded	corrected
V3.3.4	<p><b>#ID2829</b> When opening the Acknowledge-Dialog of the AlarmService the current registervalue is filled in the placeholder.If this value is changing before closing the dialog, then the current value will be stored instead of the displayed value.</p> <p><b>#ID2834</b> If pressing the Tab-Key in the JV205-305-ZP simulation the input objects will disappear or they will be shown disabled.</p>		✓  ✓