



JetViewSoft

Version Update from V. 4.0.3 to V. 4.0.4

We automate your success.

Version 1.00 March 2015/Printed in Germany

This document has been compiled by JetterAG with due diligence, and based on the known state of the art. In the case of modifications, further developments or enhancements to products shipped in the past, a revised document will be supplied only if required by law, or deemed appropriate by JetterAG. Jetter AG shall neither be liable nor responsible for any errors in form or content, lacks in updating and possibly resulting damages or disadvantages. The logos, brand names, and product names mentioned in this document are trademarks of Jetter AG, of associated companies or other title owners and must not be used without consent of the respective title owner.

Table of contents

1	Introduction	5
2	Enhancements	7
2.1	Memory management is optimized	7
2.2	Workspace name indication in the title bar	7
2.3	Background color of the preview pane can now be set	7
3	Fixed software bugs	8
	Macro command ChangeStringValue is not executed correctly	8
	Component editor displays objects which have already been deleted	
	Mouse cursor motion causes a system error message	
	Creating a new user account causes a system error message	
	Changes made to a font via Properties pane are not accepted	
	Shortcut F7 does not function consistently	
	Errors when converting projects of version 2.2.1	
	Direct editing of color values via ColorChange limits is not possible	
	Polygons are rendered differently depending on whether it is done by a PC or by a CE device	
	Events of the Text object are not triggered	
	IO dynamic feature permits invalid TargetProperty Text	
	Workspace tree is not updated	
	The sequence of masks within the dialog for editing the Navigate command is not sorted	
	Event triggering during runtime is faulty	
	Objects within a container cannot be selected	
	Faulty updating of the macro editor White space characters within the ChangeStringCommand are removed	
	The simulation of a JV-10xx display returns being a JV-3xx-type controller	
	After changing the jde file, tag search is not possible any more	
	Faulty behavior at creating new user levels	
	Changes made in the Properties pane are not applied	
	Faulty behavior in the project converter	
	ColorChange dynamic feature does not function with button objects	
	Font changes made via VisuCmdAttribute are not accepted for a Listbox	
	Program crash at language selection	
	Position values for child objects are not displayed in the component editor	
	No error message, if no mask has been assigned to the WorkingSet	
	It is not possible to assign a StringVariable to an OutputString with a resource	
	The Modified Flag of the project is not set	
	Faulty handling of vertical and horizontal lines	
	Settings in XYGraph are not stored	
	WorkingSet has been renamed	
	Faulty behavior with transparent images	
	Drag&Drop out of the library is not possible in multi-monitor mode	
	Drawing a polygon is faulty	
	Triggering the OnClick event is faulty	
	Grid object does not display any value of a local variable	
	VisuCmdString does not change the referenced variable	
	Faulty Property for the Text resource in the Edit object	
	Program crash when dragging masks out of the library	
	Language selection does not work with AlarmControl	18

he file for user-defined languages at converting is considered
he tree rendering of the EventHandler component editor is not updated
he component editor displays the EventHandler tab for attributes as well 19
Child objects of groups cannot be selected 19
he text of the local StringVariable does not change at language selection
Despite terminating AddNew, a new FillAttribute is created
he vertical keyboard input dialog renders an A instead of an a due to wrong key assignment 20
Iodified configuration file JetViewERS.cfg
n the vertical keyboard dialog, the Shift key was missing 20
Resource type IMAGELIST is compiled the wrong way
System error when converting the configuration of communication

1 Introduction

Overview Version 4.0.4 The following table gives an overview of newly added or enhanced features and fixed software bugs:

Description	New	Enhanced	Fixed
Memory management is optimized		~	
Workspace name indication in the title bar		~	
Background color of the preview pane can now be set		~	
Macro command ChangeStringValue is not executed correctly			✓
Component editor displays objects which have already been deleted			✓
Mouse cursor motion causes a system error message			✓
Creating a new user account causes a system error message			✓
Changes made to a font via Properties pane are not accepted			✓
Shortcut F7 does not function consistently			✓
Errors when converting projects of version 2.2.1			\checkmark
Direct editing of color values via ColorChange-Limits is not possible			\checkmark
Polygons are rendered differently depending on whether it is done by a PC or by a CE device			\checkmark
Events of the Text object are not triggered			~
IO dynamic feature permits invalid TargetProperty Text			\checkmark
Workspace tree is not updated			\checkmark
The sequence of masks within the dialog for editing the Navigate command is not sorted			✓
Event triggering during runtime is faulty			~
Objects within a container cannot be selected			\checkmark
Faulty updating of the macro editor			~
White space characters within the ChangeStringCommand are removed			\checkmark
The simulation of a JV-10xx display returns being a JV-3xx-type controller			\checkmark
After changing the jde file, tag search is not possible any more			\checkmark
Faulty behavior at creating new user levels			\checkmark
Changes made in the Properties pane are not applied			✓
Faulty behavior in the project converter			✓
ColorChange dynamic feature does not function with Button objects			~
Font changes made via VisuCmdAttribute are not accepted for a Listbox			✓
Program crash at language selection			✓
Position values for child objects are not displayed in the component editor			~

1 Introduction

Description	New	Enhanced	Fixed
No error message, if no mask has been assigned to the WorkingSet			~
It is not possible to assign a StringVariable to an OutputString with a resource			~
The Modified Flag of the project is not set			~
Handling of vertical and horizontal lines is faulty			~
Settings in the XY graph are not stored			~
WorkingSet has been renamed			~
Behavior with transparent images is faulty			~
Drag&Drop out of the library is not possible in multi-monitor mode			~
Drawing a polygon is faulty			~
Triggering the OnClick event is faulty			~
Grid object does not display any value of a local variable			~
VisuCmdString does not change the referenced variable			~
Faulty Property for the Text resource in the Edit object			~
Program crash when dragging masks out of the library			~
Language selection does not work with AlarmControl			~
The file for user-defined languages at converting is considered			~
The tree rendering of the EventHandler component editor is not updated			~
The component editor displays the EventHandler tab for attributes as well			~
Child objects of groups cannot be selected			~
The text of the local StringVariable does not change at language selection			~
Despite terminating AddNew, a new FillAttribute is created			~
The vertical keyboard input dialog renders an A instead of an a due to wrong key assignment			\checkmark
Modified configuration file JetViewERS.cfg			~
In the vertical keyboard dialog, the Shift key was missing			~
Resource type IMAGELIST is compiled the wrong way			~
System error when converting the configuration of communication			~

2 Enhancements

Introduction Below, all features that are new in this version, as well as the enhancements are listed.

2.1 Memory management is optimized

Memory management	Memory management has been optimized. For this reason, the program
	needs much less operating system resources.

2.2 Workspace name indication in the title bar

Workspace name in the
title barIn the title bar, the name of the Workspace is indicated instead of the project
name.

2.3 Background color of the preview pane can now be set

Background color - Pre-	The background color can now be set via shortcut menu or via Tools => Op-
view pane	tions => Format.

3 Fixed software bugs

Introduction This chapter describes the software bugs which have been fixed in the new software release.

Macro command ChangeStringValue is not executed correctly

Macro command	The command ChangeStringValue was not read out correctly. This resulted in the remaining commands not being processed correctly any more in the respective macro.
	ID #1659
Remedy/workaround	-

Component editor displays objects which have already been deleted

Component editor	If a group of referenced child objects had been uploaded to the component editor before deleting a child object from the group in the object pool tree, this object would still be shown in the component editor. Now, the component edi- tor is updated correctly.
	ID #1660
Remedy/workaround	-

Mouse cursor motion causes a system error message

System error message - Simulation	If an image was referenced by means of resource assignment through an object pointer, a system error message would be issued sporadically after language selection and moving the cursor over the image.
	ID #1685
Remedy/workaround	-

Creating a new user account causes a system error message

System error message - User administration	Creating a new user account caused a system error message, if at the same time a non-existent value had been entered into the edit box of the combo box for the user level. Input of a new user level via edit box of the combo box is not possible any more.
	ID #1696
Remedy/workaround	-

Changes made to a font via Properties pane are not accepted

Properties window - Font	If a font was changed in the Properties window, the changes would be accept- ed only partially.
	ID #1702
Remedy/workaround	-

Shortcut F7 does not function consistently

Compiler shortcut	If the focus had been on Workspace or the ObjectPool tree, the compiler could not be started by shortcut F7.
	ID #1734
Remedy/workaround	-

Errors when converting projects of version 2.2.1

Converter causes com- piler failure	When a compilable project of version 2.2.1 had been converted to the up-to- date version, the compiler would issue error messages. It would report faulty macros.
	ID #1755
Remedy/workaround	-

Direct editing of color values via ColorChange limits is not possible

Editing color change via ColorChange dynamic	The color values could not be entered as RGB values.
feature	ID #1757
Remedy/workaround	-

Polygons are rendered differently depending on whether it is done by a PC or by a CE device

Rendering polygons by CE devices	Rendering polygons by a CE device has been adjusted to rendering them by a PC.
	ID #1797
Remedy/workaround	-

Events of the Text object are not triggered

Triggering events during runtime	The two events OnChange and OnTextIndexChanged are not triggered during runtime.
	ID #1901
Remedy/workaround	-

IO dynamic feature permits invalid TargetProperty Text

IO dynamic feature for Listbox/Combobox ob- jects	The IO dynamic feature for Listbox and Combobox objects (of the Dropdown- list type) would list the Text property in the TargetProperty selection. Yet, this property is not permitted for these objects. This property has now been re- moved from the list of target properties.
	ID #1902
Remedy/workaround	-

Workspace tree is not updated

Workspace tree - Update	After deleting a mask, the Workspace tree would not be updated.
	ID #1906
Remedy/workaround	-

The sequence of masks within the dialog for editing the Navigate command is not sorted

Macros - Programming	The sequence of masks within the dialog for editing the Navigate command was not sorted. Now, the masks are sorted and displayed by their names.
	ID #1907
Remedy/workaround	-

Event triggering during runtime is faulty

Event triggering during runtime	Some objects (e.g. Edit, Listbox, Combobox, Grid,) would trigger respective Change events after the user changing a value, after the IO dynamic feature taking effect or after an STX command being issued. Triggering these events can still be influenced by the project setting EnableEventsDuringOnLoad. The former way of triggering these events was faulty and has been fixed now.
	ID #1911 / ID #1918 / ID #1919 / ID #1921 / ID #2139 / ID #3006
Remedy/workaround	-

Objects within a container cannot be selected

Selecting a container	If objects had been beneath the level of a container, no Click events would be triggered for these.
	ID #1927
Remedy/workaround	-

Faulty updating of the macro editor

Macro editor - Update	If a macro was displayed in the macro editor and changed at another location, the macro editor would not be updated.
	ID #1941 / ID #1942
Remedy/workaround	-

White space characters within the ChangeStringCommand are removed

Compiler removes white- space characters	White-space characters within the ChangeStringCommand would be removed through the compiler by mistake.
	ID #1945
Remedy/workaround	-

The simulation of a JV-10xx display returns being a JV-3xx-type controller

Simulation - Controller type	The simulation of a JV-10xx display returns being a JV-3xx-type controller. Now, the simulation returns correctly to be the controller type JV-10xx.
	ID #1995
Remedy/workaround	-

After changing the jde file, tag search is not possible any more

Tag search in the TagDB window	If a jde file had been rebuilt by JetSym and then displayed in the TagDB win- dow, searching within the TagDB window was not possible any more.
	ID #2054
Remedy/workaround	Close and re-open the project.

Faulty behavior at creating new user levels

User management - Editing	If several new user levels had been created, then renamed and their descrip- tion changed, this would cause all new user levels having got the same value and the same description.
	ID #2061
Remedy/workaround	-

Changes made in the Properties pane are not applied

Properties window - Changes	Sporadically, changes made to the configuration of an input dialog would not be applied. Thus, for example, settings for ShowOnMouseClick or ShowOnEnterKey could not be changed.
	ID #2102
Remedy/workaround	Carry out one change only, then select another object.

Faulty behavior in the project converter

Project converter	If to an existing workspace belonging to version 4.x a project of version 3.x was added, converting this project would cause errors. Further, this project could not be opened.
	ID #2147
Remedy/workaround	-

ColorChange dynamic feature does not function with button objects

ColorChange dynamic feature - Button objects	The ColorChange dynamic feature would not function with button objects of CornerRadius >0.
	ID #2245
Remedy/workaround	-

Font changes made via VisuCmdAttribute are not accepted for a Listbox

Listbox - Font change	After invoking VisuCmdAttribute, the selected font would not be shown in the Listbox.
	ID #2253
Remedy/workaround	-

Program crash at language selection

Crash at language selec- tion	If during design time another language was selected as standard language, a system error would be triggered.
	ID #2283
Remedy/workaround	-

Position values for child objects are not displayed in the component editor

Positions within the component editor	If an object with referenced child objects was edited in the component editor, the position values of a selected child object would not be shown.
	ID #2437
Remedy/workaround	-

No error message, if no mask has been assigned to the WorkingSet

Error message - Compil- er	Occassionally, no active mask was assigned to the working set at converting projects. At compiling such a project, the STX compiler now issues an error message.
	ID #2449
Remedy/workaround	-

It is not possible to assign a StringVariable to an OutputString with a resource

OutputString with re- sources	If a StringVariable with configured resource had been assigned to an Out- putString object with configured resource via ISO command, only for the standard language the text of the StringVariable is displayed. If then the StringVariable was removed again from the assignment via ISO command, no text would be displayed in the standard language any more.
	ID #2500
Remedy/workaround	-

The Modified Flag of the project is not set

Modified Flag of a pro- ject	The Modified Flag of a project was not set after changing a macro.
	ID #2525
Remedy/workaround	-

Faulty handling of vertical and horizontal lines

Vertical and horizontal lines	It was possible to generate 0 pixels wide vertical lines. Yet, the width of 0 pixels wide lines could not be changed any more.
	ID #2576
Remedy/workaround	-

Settings in XYGraph are not stored

Storing XYGraph	After deleting a graph, the properties of a newly added graph would not be stored.
	ID #2584
Remedy/workaround	-

WorkingSet has been renamed

WorkingSet - Renamed to Application	In the tree view of the event handlers, WorkingSet has been renamed to Application.
	ID #2634
Remedy/workaround	-

Faulty behavior with transparent images

Transparent images	If images were newly added and a transparency color was selected, the transparency would not be processed correctly.
	ID #2640
Remedy/workaround	-

Drag&Drop out of the library is not possible in multi-monitor mode

Drag&Drop in multi- monitor mode	If, after opening, the program had been shifted to the secondary monitor, taking objects out of the library by Drag&Drop would not be possible any more.
	ID #2655
Remedy/workaround	-

Drawing a polygon is faulty

Drawing polygons	During runtime, areas of the polygon were cut off, or else the edges were missing.
	ID #2659
Remedy/workaround	-

Triggering the OnClick event is faulty

OnClick event	In the objects Rectangle, Text, Polygon, Ellipse, Arc, Meter(Ex), Image, and XYGraph, the OnClick event would already be triggered through pressing the left mouse button. Now, it is not triggered before releasing the mouse button.
	ID #2672
Remedy/workaround	-

Grid object does not display any value of a local variable

Grid objects and local variables	If a grid cell had been configured using the IO dynamic feature, and if for this a local variable had been used, no value would be displayed in the cell during runtime.
	ID #2676
Remedy/workaround	-

VisuCmdString does not change the referenced variable

VisuCmdString does not affect the referenced variable	If in the display controller, a VisuCmdString had been applied to a StringVaria- ble, only the text of a local StringVariable would change (Location=local). If the StringVariable had been configured to a controller, the text would not change.
	ID #2677
Remedy/workaround	-

Faulty Property for the Text resource in the Edit object

Resource in the Edit object	By mistake, the Edit object would offer the possibility of configuring a Text resource in the Properties pane.
	ID #2687
Remedy/workaround	-

Program crash when dragging masks out of the library

Dragging masks out of a library	Trying to drag a mask out of a library into a project lead to program crash.
	ID #2695
Remedy/workaround	-

Language selection does not work with AlarmControl

Language selection - AlarmControl	If in an AlarmControl of a project a resource for the column names had been stored, AlarmControl would not be updated at language selection. Thus, the wrong language would be displayed.
	ID #2699
Remedy/workaround	-

The file for user-defined languages at converting is considered

Project converter	In the file \Jetter\JetWeb\JetViewSoft\Templates\Languages\UserLanguages.xml user-defined languages, which are not mentioned in the standard ISO 639-1, can be stored. When converting projects from version 3.x to version 4.x, this file was not copied to the files of th e projects to be converted. This means there were no user-defined languages available.
	ID #2709
Remedy/workaround	-

The tree rendering of the EventHandler component editor is not updated

Component editor - EventHandler	If, in the component editor, the tree rendering of the EventHandler had been opened and another object had been uploaded after this, the former object would still be displayed.
	ID #2739
Remedy/workaround	-

The component editor displays the EventHandler tab for attributes as well

Component editor - EventHandler	For attribute objects, events and macros can only be edited in the ObjectPool. For this reason, the EventHandler tab at the bottom edge of the document is now hidden.
	ID #2740
Remedy/workaround	-

Child objects of groups cannot be selected

Selection - Groups	Child objects of groups that had been copied and then loaded in the compo- nent editor, could neither be selected nor edited any more.
	ID #2839
Remedy/workaround	-

The text of the local StringVariable does not change at language selection

Language selection - JetView ER-STX (S)	If a StringVariable referred to a resource, its text would not be updated at language selection. This error occured only in projects of the JetView ER-STX-(S) platform.
	ID #2840
Remedy/workaround	-

Despite terminating AddNew, a new FillAttribute is created

Adding new attributes	If a FillAttribute was used with one object only, and if there the command AddNew for the property ObjectID of the FillStyle was selected, the dialog would offer deleting the presently selected FillAttribute. At terminating the dia- log, in order to keep the FillAttribute, a new FillAttribute would still be created. The same applied to FontAttributes and LineAttributes.
	ID #2862
Remedy/workaround	-

The vertical keyboard input dialog renders an A instead of an a due to wrong key assignment

Key assignment - Input dialog	The vertical keyboard input dialog rendered an A instead of an a due to wrong key assignment. Now, letter a has been assigned to this key.	
	ID #2881	
Remedy/workaround	-	
Modified configuration file JetViewERS.cfg		
Configuration file for JetView ER-STX (S)	Which language of visualization devices belongs to which iop file is stored to configuration file JetViewERS.cfg. This file has been modified in order to be able to correctly localize the iop files on the visualization devices.	
	ID #2931	
Remedy/workaround	-	

In the vertical keyboard dialog, the Shift key was missing

Key assignment in the keyboard dialog	In the vertical keyboard dialog, the Shift key has been added.
	ID #2933
Remedy/workaround	-

Resource type IMAGELIST is compiled the wrong way.

Compiler and IMAGELIST	When using resources of the type IMAGELIST, a wrong result was output by the STX compiler. Neither could the image lists be seen on the visualization devices.
	ID #2935
Remedy/workaround	-
System error when	converting the configuration of communication
System error in the con- verter	If a project contained more than 1000 NumberVariables at converting the configuration of communication, all NumberVariables starting from 1001 would be assigned object ID zero. This would lead to an internal error, as the IDs were not unambiguous any more.
	ID #3005
Remedy/workaround	-



Jetter AG Graeterstrasse 2 71642 Ludwigsburg | Germany

Phone +49 7141 2550-0 Fax +49 7141 2550-425 info@jetter.de www.jetter.de

We automate your success.